L Number	Hits	Search Text	DB	Time stamp
-	11	<pre>programmable and (safe or transaction adj device\$2) and (initial adj identification)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/19 13:10
-	7	(safe or transaction adj device\$2) and (initial adj identification) and (stand adj alone)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/19 13:12
-	3	(safe or transaction adj device\$2) and (initial adj(id or identification)) and (new adj (id or identification))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/19 13:17
<u></u>	1	(transaction adj device\$2) and (initial adj(id or identification)) and (new adj (id or identification))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/19 13:18
_	9	(initial adj(id or identification)) same (new adj (id or identification))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/19 13:46
-	27	<pre>(initial adj(password)) same (new adj  (password))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/19 16:36
-	0	((smart adj card\$1) or (smartcard\$1)) and (input\$4 adj means) and (decoder\$1) and (processor)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 15:57
-	1183	((smart adj card\$1) or (smartcard\$1)) and (input\$2) and (decoder\$1) and (processor\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 15:58
-	18	(((smart adj card\$1) or (smartcard\$1)) and (input\$2) and (decoder\$1) and (processor\$1)) and 340/5.\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 16:20
-	3	340/5.\$.ccls. and (transaction adj device)and (processor) and (decoder)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 16:44
-	35	((smart adj card\$1) or (smartcard\$1)) and(transaction adj device)and (processor) and (decoder)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 16:24
-	3707	340/5.\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 16:45
-	237	340/5.54.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 16:45
-	31	340/5.54.ccls. and input same decoder	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/05 16:49

310   340/5.\$.ccls. and input same decoder   USPAT; US-PCPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
18M TDB   19N	_	310	340/5.\$.ccls. and input same decoder	US-PGPUB; EPO; JPO;	
3	-	4		IBM_TDB USPAT; US-PGPUB;	
-   4	-	3		IBM_TDB USPAT; US-PGPUB;	
- 2 ( 340/5.\$.ccls. and (timer same decod\$4) and (expir\$4)) and (expir\$4)) - 5 ( 340/5.\$.ccls. and (timer same decod\$4) usPAT: US-PGPUB; EPG; JPG; DERWENT: IBM TDB usPAT: usPGPUB; expir\$4)) - 5 ( 340/5.\$.ccls. and (timer same decod\$4) usPAT: US-PGPUB; expir\$4)) - 229 (timer same decod\$4) and (tim\$4 same expir\$4) usPAT: US-PGPUB; EPG; JPG; DERWENT: IBM TDB usPAT: US-PGPUB;	-	4		DERWENT; IBM_TDB USPAT; US-PGPUB;	
- 30 osillator\$1 same decod\$1) - 1 osillator\$1 same key\$7 - 24 ((smart adj card\$1) or (smartcard\$1)) and (smart adj card\$1) or (smartcard\$1)) and (smart adj card\$1) or (smartcard\$1)) and (smart adj card\$1) or (smartcard\$1) - 30 osillator\$1 same input\$2 - 30 osillator\$1 same key\$7 - 343 ((smart adj card\$1) or (smartcard\$1)) and (smartcard\$1)) and (smartcard\$1) and (smartcard\$1) - 343 oscillator same (input near key\$2) same power same decoder - 344 oscillator same (input near key\$2) - 355 (340/5.\$.ccls. and (timer same decod\$4) and (tim\$4 same expir\$4) - 36 (smart adj card\$1) or (smartcard\$1)) and oscillator\$1 - 3743 oscillator same (input near key\$2) same power same decoder - 356 (smartcard\$1) oscillator same (input near key\$2) - 36 (smartcard\$1) oscillator same (input near key\$2) - 374 oscillator same (input near key\$2) - 375 (smartcard\$1) oscillator same (input near key\$2) - 376 (smartcard\$1) oscillator same (input near key\$2) - 376 (smartcard\$1) oscillator same (input near key\$2) - 377 (smartcard\$1) oscillator same (input near key\$2) - 378 (smartcard\$1) oscillator same (input near key\$2) - 379 (smartcard\$1) oscillator same (input near key\$2) - 370 (smartcard\$1) oscillator same (input near key\$2)	-	2	and((smartcard\$1) or (smart adj card\$1))	DERWENT; IBM_TDB USPAT; US-PGPUB;	
expir\$4)   EPO, JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;	-	5	( 340/5.\$.ccls. and (timer same decod\$4)	DERWENT; IBM_TDB USPAT;	
Trop	-	229	<pre>expir\$4)) (timer same decod\$4) and(transaction) and</pre>	EPO; JPO; DERWENT; IBM_TDB USPAT;	
- 7 ((timer same decod\$4) and(transaction) and (tim\$4 same expir\$4)) and ((smart adj USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO	_	17700	· ·	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/01/06
and (tim\$4 same expir\$4)) and ((smart adj card\$1) or (smartcard\$1))  - 30 osillator\$1 same input\$2		7	(/times game deged\$4) and/transaction	EPO; JPO; DERWENT; IBM_TDB	·
- 30 osillator\$1 same input\$2	-		and (tim\$4 same expir\$4)) and ((smart adj	US-PGPUB; EPO; JPO; DERWENT;	
- 1 osillator\$1 same key\$7  - 743 ((smart adj card\$1) or (smartcard\$1)) and oscillator\$1  - 2 oscillator same (input near key\$2) same power same decoder  - 334 oscillator same (input near key\$2)  - 335 oscillator same (input near key\$2)  - 336 oscillator same (input near key\$2)  - 337 oscillator same (input near key\$2)	_	30	osillator\$1 same input\$2	USPĀT; US-PGPUB; EPO; JPO; DERWENT;	
- 743 ((smart adj card\$1) or (smartcard\$1)) and oscillator\$1 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT;	_	1	osillator\$1 same key\$7	USPĀT; US-PGPUB; EPO; JPO;	
- 2 oscillator same (input near key\$2) same power same decoder	_	743		IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
- 334 oscillator same (input near key\$2) IBM_TDB USPAT; 2004/01/06 US-PGPUB; EPO; JPO; DERWENT;	_	. 2		IBM_TDB USPAT; US-PGPUB;	
DERWENT;	-	334	oscillator same (input near key\$2)	IBM_TDB USPAT; US-PGPUB;	
				DERWENT;	

		•		
-	2	((smart adj card\$1) or (smartcard\$1)) and (oscillator same (input near key\$2))	USPAT; US-PGPUB;	2004/01/06 11:34
		÷	EPO; JPO; DERWENT;	
-	2	power\$1 near oscillator\$1 near decoder\$1	IBM_TDB USPAT;	2004/01/06
		·	US-PGPUB; EPO; JPO;	11:40
			DERWENT; IBM TDB	
_	1354	power\$1 same oscillator\$1 same decoder\$1	USPAT;	2004/01/06
			US-PGPUB; EPO; JPO;	12:57
			DERWENT; IBM_TDB	
_	22	((smart adj card\$1) or (smartcard\$1)) and (power\$1 same oscillator\$1 same	USPAT; US-PGPUB;	2004/01/06
		decoder\$1)	EPO; JPO; DERWENT;	
	18216	power\$1 and oscillator\$1 and decoder\$1	IBM_TDB USPAT;	2004/01/06
	10210	powers and oscillators and decoders	US-PGPUB;	12:58
			EPO; JPO; DERWENT;	
_	3267	transaction adj device	IBM_TDB USPAT;	2004/01/06
		·	US-PGPUB; EPO; JPO;	12:58
			DERWENT; IBM TDB	
	7	((smart adj card\$1) or (smartcard\$1)) and (power\$1 and oscillator\$1 and decoder\$1)	USPAT; US-PGPUB;	2004/01/06
		and (transaction adj device)	EPO; JPO; DERWENT;	12.09
	282	(nevent) and conflictor() and decade ()	IBM_TDB	2004/01/06
_	202	<pre>(power\$1 and oscillator\$1 and decoder\$1) and ((smart adj card\$1) or (smartcard\$1))</pre>	USPAT; US-PGPUB;	2004/01/06 13:35
			EPO; JPO; DERWENT;	
-	32632	generator\$1 and decoder\$1 and power\$1	IBM_TDB USPAT;	2004/01/06
			US-PGPUB; EPO; JPO;	13:36
			DERWENT; IBM TDB	
-	506	(generator\$1 and decoder\$1 and power\$1) and ((smart adj card\$1) or (smartcard\$1))	USPAT; US-PGPUB;	2004/01/06
			EPO; JPO; DERWENT;	13.37
	33	/generatore1 and decadere1 and neverth	IBM_TDB USPAT;	
	33	and ((smart adj card\$1) or (smartcard\$1))	US-PGPUB;	2004/01/06 13:57
		and (transaction adj device)	EPO; JPO; DERWENT;	
_	288	Power same source same oscillator same	IBM_TDB USPAT;	2004/01/06
		decoder	US-PGPUB; EPO; JPO;	14:04
	,		DERWENT; IBM TDB	
-	3	705/\$.ccls. and Power same source same oscillator same decoder	USPAT; US-PGPUB;	2004/01/06 14:08
			EPO; JPO; DERWENT;	
_	3	340/5.\$.ccls. and Power same source same	IBM_TDB USPAT;	2004/01/06
		oscillator same decoder	US-PGPUB; EPO; JPO;	14:13
			DERWENT;	
L	1		IBM TDB	

-	2	Power same source same oscillator same decoder and (smartcard\$1 or smart adj	USPAT; US-PGPUB;	2004/01/06 14:38
		card\$1)	EPO; JPO; DERWENT; IBM_TDB	:
	294	kikinis-dan.IN.	USPĀT; US-PGPUB;	2004/01/06 14:40
			EPO; JPO; DERWENT; IBM TDB	
-	0	kikinis-dan.IN. and (capacitve adj key)	USPAT; US-PGPUB; EPO; JPO;	2004/01/06
	7	((smart adj card\$1) or (smartcard\$1)) and	DERWENT; IBM_TDB USPAT;	2004/01/06
		(capacitive adj key\$2)	US-PGPUB; EPO; JPO; DERWENT;	14:43
-	5	kikinis-dan.IN: and (keyboard or keypad) and (capacitive or capacitor)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/06 15:01
	1004	(keyboard or keypad) with (capacitive or	DERWENT; IBM_TDB USPAT;	2004/01/06
	1004	capacitor)	US-PGPUB; EPO; JPO; DERWENT;	15:03
-	284	((keyboard or keypad) with (capacitive or capacitor) ) and (oscillator or	IBM_TDB USPAT; US-PGPUB;	2004/01/06 15:02
		oscillating or oscillation)	EPO; JPO; DERWENT; IBM_TDB	
-	43	(keyboard or keypad) with (capacitive or capacitor) with (oscillator or oscillating or oscillation)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/06
-	1	(capacitive adj key\$2) same (oscillator and decod\$4)	IBM_TDB USPAT; US-PGPUB;	2004/01/07 13:37
	5	(capacitive adj key\$2) same (oscillator)	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/01/07
		(capacitive adj keyy2) same (oscillator)	US-PGPUB; EPO; JPO; DERWENT;	13:41
-	2	(capacitive adj key\$2) same (decoder) same (memory or stor\$4)	IBM_TDB USPAT; US-PGPUB;	2004/01/07 14:57
	145	//	EPO; JPO; DERWENT; IBM_TDB	2004/01/07
_	145	((smartcard\$1) or (smart adj card\$1)) and (deactivat\$4 same complet\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07
-	75	((smartcard\$1) or (smart adj card\$1)) and (deactivat\$4 with complet\$4)	IBM_TDB USPAT; US-PGPUB;	2004/01/07 15:04
	21	//cmartgard(1) or /cmart add caud(1) and	EPO; JPO; DERWENT; IBM_TDB	2004/01/07
_	31	((smartcard\$1) or (smart adj card\$1)) and (deactivat\$4 with completed)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/07
		<u> </u>	IBM_TDB	·

-	17	((smartcard\$1) or (smart adj card\$1)) and	USPAT;	2004/01/07
1		(deactivat\$4 with completed with	US-PGPUB;	15:17
		transaction)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	9228	((smartcard\$1) or (smart adj card\$1)) and	USPAT;	2004/01/07
		(deactivat\$4 near\$3 transaction near\$3	US-PGPUB;	15:18
1		completed )	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	4	((smartcard\$1) or (smart adj card\$1)) and	USPĀT;	2004/01/08
		(deactivat\$4 near3 transaction near3	US-PGPUB;	10:33
	ŀ	completed )	EPO; JPO;	
		- · ·	DERWENT;	į
			IBM TDB	